

Adding Second HD (Hard Drive)

STEP #1 - Verify if Server detect HD

```
cat /proc/partitions
```

STEP #2 - Verify if HD is Mount

```
df -h
```

STEP #3 - Create HD Mount Point

```
mkdir /monitor
```

STEP #4 - Change Folder Permissions

```
chgrp asterisk /monitor
```

```
chown asterisk /monitor
```

```
ls -al
```

STEP #5 - Edit Server's Boot File

```
nano /etc/rc.local
```

ADD THIS CODE:

```
/bin/mount /dev/sdb1 /monitor
```

STEP #6 - Execute Server's Boot Script

```
cd /etc
```

```
./rc.local
```

STEP #7 - Verify HD Mounting Point

```
df -h
```

STEP #8- Verify Recording Location (To Backup Old Recordings)

```
cd /var/spool/asterisk/monitor/
```

```
ls
```

```
mv ./* /monitor
```

```
cd
```

STEP #9 - Removed Recording Folder + Create a Symbolic Link to New Folder

```
rm -rf /var/spool/asterisk/monitor
```

```
/bin/ln -s /monitor /var/spool/asterisk
```

STEP #10 - Verify Symbolic Link to New Folder

```
cd /var/spool/asterisk
```

```
ls -l
```

STEP #11 - Change Folder Permissions to Prevent Writing Errors

```
chown -h asterisk:asterisk monitor
```

```
ls -l
```

Unique solution ID: #1030

Author: Luis Rosario

Last update: 2020-05-04 04:47